







# Shims

Version: 2011-01




Thickness:	Order-number
5,0	XE5.03.200.5000
2,0	XE5.03.200.2000
1,0	XE5.03.200.1000
0,5	XE5.03.200.0500
(0,2	XE5.03.200.0200)
(0,1	XE5.03.200.0100)

Set: XE5.03.200.P000  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)



Thickness:	Order-number
5,0	XE5.03.500.5000
2,0	XE5.03.500.2000
1,0	XE5.03.500.1000
0,5	XE5.03.500.0500
(0,2	XE5.03.500.0200)
(0,1	XE5.03.500.0100)

Set: XE5.03.500.P000  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)



Thickness:	Order-number
5,0	XE5.03.500.5001
2,0	XE5.03.500.2001
1,0	XE5.03.500.1001
0,5	XE5.03.500.0501
(0,2	XE5.03.500.0201)
(0,1	XE5.03.500.0101)

Set: XE5.03.500.P001  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)

We reserve the right to make changes which are in the interest of technical progress.


© by WMA Schmidt & Bittner GmbH, Baumwaide 23, D-74360 Ilfeld-Auenstein, Tel. +49 7062 9066-0, Fax +49 7062 9066-20  
info@wma-sb.de or wma-sb@t-online.de, <http://www.wma-sb.de>



# Shims

Version: 2011-01

45 x 15



Thickness:	Order-number
5,0	XE5.04.150.5000
2,0	XE5.04.150.2000
1,0	XE5.04.150.1000
0,5	XE5.04.150.0500
(0,2	XE5.04.150.0200)
(0,1	XE5.04.150.0100)

Set: XE5.04.150.P000  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)


65 x 20



Thickness:	Order-number
5,0	XE5.04.200.5000
2,0	XE5.04.200.2000
1,0	XE5.04.200.1000
0,5	XE5.04.200.0500
(0,2	XE5.04.200.0200)
(0,1	XE5.04.200.0100)

Set: XE5.04.200.P000  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)

20 x 16



Thickness:	Order-number
5,0	XE5.01.160.5000
2,0	XE5.01.160.2000
1,0	XE5.01.160.1000
0,5	XE5.01.160.0500
(0,2	XE5.01.160.0200)
(0,1	XE5.01.160.0100)

Set: XE5.01.160.P000  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)


We reserve the right to make changes which are in the interest of technical progress.

© by WMA Schmidt & Bittner GmbH, Baumwaide 23, D-74360 Illfeld-Auenstein, Tel. +49 7062 9066-0, Fax +49 7062 9066-20  
info@wma-sb.de or wma-sb@t-online.de, <http://www.wma-sb.de>




# Shims

Version: 2011-01



Thickness:	Order-number
5,0	XE5.02.150.5000
2,0	XE5.02.150.2000
1,0	XE5.02.150.1000
0,5	XE5.02.150.0500
(0,2	XE5.02.150.0200)
(0,1	XE5.02.150.0100)

Set: XE5.02.150.P000  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)



Thickness:	Order-number
5,0	XE5.02.700.5000
2,0	XE5.02.700.2000
1,0	XE5.02.700.1000
0,5	XE5.02.700.0500
(0,2	XE5.02.700.0200)
(0,1	XE5.02.700.0100)

Set: XE5.02.700.P000  
(1 x 2 mm, 2 x 1 mm, 2 x 0,5 mm)

We reserve the right to make changes which are in the interest of technical progress.

© by WMA Schmidt & Bittner GmbH, Baumwaide 23, D-74360 Illfeld-Auenstein, Tel. +49 7062 9066-0, Fax +49 7062 9066-20  
info@wma-sb.de or wma-sb@t-online.de, <http://www.wma-sb.de>